

154060

Boiler Treatment Proposed

9/18/70

C03325

VULCAN

2 DRUMS 1265 (STAIN) \$312.⁰⁰
 2 DRUMS CORROSION (1000) 224.⁰⁰
 2 DRUMS HEAVY (STAIN) 352.⁰⁰
 1 TEST KIT 30.⁰⁰

BULGEO

660 BOILER TREATMENT \$200.⁰⁰
 500⁰⁰ DRUM \$200.⁰⁰
 704 RIDOX OXY SERVICER
 350⁰⁰ DRUM \$157.⁵⁰
 686 STANDARD TREATMENT
 450⁰⁰ DRUM \$355.⁰⁰
 995 DRUMS CLEANING
 550⁰⁰ DRUM \$203.⁵⁰

RECOVER

QUOTED ON TOWER
 TREATMENT IN JUNE 71
 CLEAN \$1,028 / 11 GAS MAKEUP
 HF 501 \$1,000 / 11 GAS MAKEUP

1265 \$312.00 / 12/70
 CORROSION 2-500/DRUM \$12.25/DRUM
 HEAVY \$600-12/70
 1-200/DRUM

660 12/21/DRUM \$450/DRUM
 704 RIDOX \$125/DRUM
 686 STANDARD LINE 12-18 03/DRUM \$80/DRUM
 450⁰⁰ DRUM 112/DRUM

EST 143 11/21/DRUM
 \$722/DRUM

1 HYDROLYSE FILTER \$250.⁰⁰
 1 PER 21 CORROSION 388.⁰⁰
 2 TUBES \$130.25 966.⁰⁰
 2 ALUMINUM 266.⁰⁰
 2 1/2" QUILTS 60.⁰⁰
 \$2,502.⁰⁰

2. PER 21 1075.⁰⁰

File 1104

4/62 81-70

STATE OF ILLINOIS

DEPARTMENT OF
REGISTRATION AND EDUCATION

WILLIAM H. ROBINSON
DIRECTOR, SPRINGFIELD

BOARD OF
NATURAL RESOURCES
AND CONSERVATION

WILLIAM H. ROBINSON . . . CHAIRMAN
BIOLOGY THOMAS PARK
CHEMISTRY ROGER ADAMS
ENGINEERING . . . ROBERT H. ANDERSON
FORESTRY . . . CHARLES E. OLMSTED
GEOLOGY . . . LAURENCE L. SLOSS
SOUTHERN ILLINOIS UNIVERSITY . .
PRESIDENT DELYTE W. MORRIS
UNIVERSITY OF ILLINOIS
DEAN EMERITUS WILLIAM L. EVERITT

Illinois State Water Survey

WATER RESOURCES BUILDING
605 E. SPRINGFIELD, CHAMPAIGN

MAIL BOX 232, URBANA, ILLINOIS 61801

AREA CODE 217
PHONE 333-2210

WILLIAM C. ACKERMANN, CHIEF

September 21, 1970

Cerro Copper & Brass Utilities
P. O. Box 681
East St. Louis, Illinois 62202

Attention: Mr. William Graff

Dear Sir:

We are enclosing a copy of the partial analysis made on a sample of water collected July 28, 1970 from a 110 1/2 foot well recently drilled for Cerro Copper and Brass in East St. Louis, Illinois.

The analysis shows this sample to be moderately mineralized but very hard and to contain considerable iron and manganese sufficient to cause staining of porcelain ware, etc. It is noted that the sample also contains considerable turbidity which appears to be due mostly to the iron content.

The hardness in this sample is sufficient to cause the formation of an exceptionally large amount of scale in boilers and hot water heaters and to consume an exceptionally large amount of soap if used for washing or laundry purposes.

N.T.
12/20/70

Very truly yours,
ILLINOIS STATE WATER SURVEY

Laurel M. Henley

Laurel M. Henley
Associate Chemist

LMH/bb

Enclosure

cc: Luhr Bros, Inc.
W. H. Baker, Jr.

cc PAUL TANDLER
cc AL SUMME

C03326

STATE OF ILLINOIS

DEPARTMENT OF
REGISTRATION AND EDUCATIONWILLIAM H. ROBINSON
DIRECTOR, SPRINGFIELDBOARD OF
NATURAL RESOURCES
AND CONSERVATIONWILLIAM H. ROBINSON CHAIRMAN
BIOLOGY THOMAS PARK
CHEMISTRY ROGER ADAMS
ENGINEERING ROBERT H. ANDERSON
FORESTRY CHARLES E. OLMSTED
GEOLOGY LAURENCE L. SLOSS
SOUTHERN ILLINOIS UNIVERSITY
PRESIDENT DELYTE W. MORRIS
UNIVERSITY OF ILLINOIS
DEAN WILLIAM L. EVERITT11/65 81-70
Illinois State Water SurveyWATER RESOURCES BUILDING
605 E. SPRINGFIELD, CHAMPAIGN

MAIL: BOX 232, URBANA, ILLINOIS 61801

AREA CODE 217
PHONE 333-2210

WILLIAM C. ACKERMANN, CHIEF

September 21, 1970

WATER ANALYSIS

Sample of water collected from a well recently drilled for Cerro Copper and Brass in East St. Louis, Illinois in St. Clair County.

Location of well: 2225'N & 2450'E of the SW corner of Section 26, T2N, R10W.
Date collected 7/28/70 • after 2 hours of
pumping at a rate of 1400 gpm. Well installed

County Number	• •	Well Depth	110 1/2.
Township	•	Well No.	•
Range	•	Source	•
Section	•	Municipal No.	•
Location	•		
Laboratory No.	183533.		

	me/l		me/l
Turbidity	75.	Silica	•
Color	0.	Boron	•
Odor	0.	Fluoride	•
Iron (Fe) mg/l	10.		
Manganese (Mn) mg/l	1.16	Nitrate	•
Ammonium (NH ₄) mg/l	•	Chloride (Cl) mg/l	82 • 2 • 31
Calcium (Ca) mg/l	•	Sulfate (SO ₄) mg/l	189 • 2 • 94
Magnesium (Mg) mg/l	•	Alkalinity * mg/l	460 • 9 • 20
		Total Hardness* mg/l	615 • 12 • 30
pH	•	Total Dissolved	•
Carbon Dioxide	•	Minerals** mg/l	865 •
Methane	•		
Hydrogen Sulfide	•	* - as CaCO ₃	
Temperature (°F)	57.5	** - as Residue	

mg/l = milligrams per liter
me/l = milliequivalents per liter
mg/l x .0583 = grains per gallon

ILLINOIS STATE WATER SURVEY

cc PAUL TANDLER ←
cc AL SUMRE

Laurel M. Henley
Laurel M. Henley
Associate Chemist

C03327